

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (currently amended) A subsea process assembly for separating a multiphase flow, the assembly comprising:
 - an inlet for a ~~the~~ multiphase ~~medium~~ flow;
 - a pressure reducing means for reducing the pressure of the multiphase flow from the inlet and creating a source of energy;
 - a multiphase separator for separating the multiphase ~~input~~ flow into individual phases; and
 - a pumping system for, in use, pumping at least one of the desired individual phases to a delivery point ~~by utilising of the energy from the source of energy;~~ and
a power supply system selectively supplying the source of energy to the pumping system.
2. (original) A subsea process assembly according to claim 1, wherein the pressure reducing means is one of a hydraulic power device, electric power drive and a flow controller.
3. (previously presented) A subsea process assembly according to claim 1, further comprising a control process module for controlling the pressure reducing means and the pumping system.
4. (currently amended) A subsea process assembly according to claim 1, ~~further comprising~~ wherein the power supply system comprises a power drive unit that generates hydraulic power from an external energy source.
5. (original) A subsea process assembly according to claim 4, wherein the external energy source is either in the form of fluid or electrical energy.
6. (currently amended) A subsea process assembly according to claim 5, wherein the power drive unit ~~and/or the pressure reducing means~~ is driven by a fluid ~~which~~ that provides energy in the form of liquid or gas.

7. (currently amended) A subsea process assembly according to claim 6, wherein the ~~wellstream~~ energy is achieved by creating a pressure differential in the multiphase flow between the inlet and the separator.
8. (currently amended) A subsea process assembly according to claim 1, further comprising a drive fluid inlet, ~~the~~ a drive fluid being pumped to the module from an external point.
9. (currently amended) A subsea process assembly according to claim 4-8, wherein the pressure reducing means further comprises a means for creating a pressure differential in the drive fluid and thereby creating a further source of energy.
10. (currently amended) A subsea process assembly according to claim 4-8, wherein the drive fluid is water from a water injection supply.
11. (previously presented) A subsea process assembly according to claim 1, wherein the pressure of the multiphase flow is reduced to below 25 atmospheres.
12. (previously presented) A subsea process assembly according to claim 1, wherein the multistage separator can be formed by at least one of the following: a centrifugal container, a vortex tube, a cyclone, helix container or auger, a gravity vertical or horizontal tank, a silo, a conductor pile housing, toroidal ring, a toroidal spiral combination or a spiral.
13. (previously presented) A subsea process assembly according to claim 1 wherein the separating process can separate the multiphase fluid into at least two of the following: a solids slurry, gas, oil and water.
14. (previously presented) A subsea process assembly according to claim 1, further comprising an individual pump for each phase.
15. (original) A subsea process assembly according to claim 14, wherein the individual phase pumps are driven by the energy created in the assembly.

16. (previously presented) A subsea process assembly according to claim 1 further comprising of a solids removal unit for removing a solids slurry prior to separation.
17. (previously presented) A subsea process assembly according to claim 1, further comprising a means for, in use, injecting exhaust water into a well.
18. (previously presented) A subsea process assembly according to claim 1, further comprising a template, a piping mat and a retrievable subsea process module.
19. (original) A subsea process assembly according to claim 18, wherein the retrievable subsea process module comprises a retrievable base module and retrievable mini modules.
20. (currently amended) A subsea hydrocarbon recovery system comprising:
a subsea well for supplying a multiphase ~~fluid-flow~~ comprising a hydrocarbon;
a subsea process assembly comprising
an inlet for ~~a the multiphase medium-flow~~;
a pressure reducing means for reducing the pressure of the multiphase flow from the inlet and creating a source of energy;
a multiphase separator for separating the multiphase ~~input-flow~~ into individual phases;
and
a pumping system for, in use, pumping at least one of the desired individual phases to a delivery point ~~by utilising of the energy from the source of energy~~, wherein the inlet to the assembly is in fluid communication with the well;
a power supply system selectively supplying the source of energy to the pumping system; and
a delivery point for receiving the recovered hydrocarbon(s) from the subsea process assembly.
21. (original) A subsea hydrocarbon recovery system according to claim 20, further comprising a well into which surplus products of the separation can be reinjected.

22. (previously presented) A subsea hydrocarbon recovery system according to claim 20, further comprising a plurality of subsea wells, each having an associated subsea process module which supplies the recovered hydrocarbon(s) to the same delivery point.

23. (previously presented) A subsea hydrocarbon recovery system according to claim 20, wherein the delivery point is one of: a pipeline for removing the product from the field, a water injection well, a gas injection well or a producing well to achieve artificial lift.